I MINA' TRENTA I UNO NA LIHESLATURAN GUAHAN 2011 (First) Regular Session

Bill No. 216-31 (COR)

Introduced by:

7011 MAY 27 PH 12: 13 1 B.J.F. Cruzh A.B. Palac

AN ACT TO AMEND (C), (D), (E), AND TO ADD A NEW ITEM (F) TO APPENDIX A, TO AMEND (A)(1), (B), AND (C) OF APPENDIX B, TO AMEND (B), (D), (E), AND ADD A NEW (F) TO APPENDIX C, TO AMEND (B) OF APPENDIX D, TO AMEND (D) OF APPENDIX D, TO AMEND (D) OF APPENDIX E OF CHAPTER 67 OF TITLE 9, TO ADD A NEW §3106.1 TO ARTICLE 1 OF CHAPTER 3 OF TITLE 10 OF THE GUAM CODE ANNOTATED RELATIVE TO UPDATING THE GUAM UNIFORM CONTROLLED SUBSTANCE ACT BASED ON THE U.S. DRUG ENFORCEMENT ADMINISTRATION SCHEDULE LISTING.

BE IT ENACTED BY THE PEOPLE OF GUAM:

Section 1. Item (C) of Appendix A of Chapter 67 of Title 9 of the Guam
Code Annotated is hereby *amended* to read as follows:

4 "(C) Material, compound, mixture or preparation containing any quantity of 5 the following hallucinogenic substances, including any salts, isomers, and 6 salts of isomers of them that are theoretically possible within the specific 7 chemical designation:

- 8 (1) Alpha-ethyltryptamine (other names: etryptamine; Monase; alpha-
- 9 ethyl-lH-indole-3-ethanamine; 3-(2-aminobutyl) indole; alpha-ET;

10 and AET);

11 (2) 4-bromo-2,5-dimethoxy-amphetamine (other names: 4-bromo-

1	2,5-dimethoxy-alpha-methylphenethylamine; 4-bromo-2,5-DMA);
2	(3) 4-romo-2,5-dimethoxyphenethylamine (other names: 2-(4-bromo-
3	2,5-dimethoxyphenyl)-i-aminoethane; alpha-desmethyl DOB; 2C-B,
4	Nexus);
5	(4) 2,5-dimethoxyamphetamine (other names: 2,5-dimethoxyalpha-
6	methylphenethylamine; 2,5-DMA);
7	(5) 2,5-dimethoxy-4-ethylamphet-amine; Some trade or other names:
8	DOET
9	(6) 2,5-dimethoxy-4-(n)-propylthiophenethylamine (other name: 2C-
10	<u>T-7)</u>
11	(6) (7) 4-methoxyamphetamine (other names: 4-methoxy-
12	alphamethylphenethylamine; paramethoxyamphetamine, PMA);
13	(7) (8) 5-methoxy-3,4-methylenedioxy-amphetamine;
14	(8) (9) 4-methyl-2,5-dimethoxy-amphetamine (other names: 4-methyl-
15	2,5-dimethoxy-alpha-methylphenethylamine; DOM; and STP);
16	(9) (10) 3,4-methylenedioxy amphetamine;
17	(10) (11) 3,4-methylenedioxymethamphetamine (MDMA);
18	(11) (12) 3,4-methylenedioxy-N-ethylamphetamine (other names:
19	Nethyl-alpha-methyl-3,4(methylenedioxy)phenethylamine, N-ethyl
20	MDA, MDE, MDEA);
21	(12) (13) N-hydroxy-3,4-methylenedioxyamphetamine (other names:
22	N-hydroxy-alpha-methyl-3,4(methylenedioxy)phenethylamine, and
23	Nhydroxy MDA);
24	(13) (14) 3, 4, 5-trimethoxy amphetamine;
25	(15) Alpha-methyltryptamine (others name: AMT)
26	(14) (16) bufotenine (other names: 3-(beta-Dimethylaminoethyl)-5-

1	hydroxyindole; 3-(2-dimethylaminoethyl)-5-indolol; N,
2	Ndimethylserotonin; 5-hydroxy-N,N-dimethyltryptamine; mappine);
3	(15) (17) diethyltryptamine (other names: N,N-Diethyltryptamine;
4	DET);
5	(16) (18) dimethyltryptamine (other names: DMT);
6	(19) 5-mthoxy-N,N-diisopropyltryptamine (other name: 5-MeO-
7	<u>DIPT)</u>
8	(17) (20) ibogaine (other names: (7-Ethyl-6,6Beta, 7, 8, 9, 10, 12, 13-
9	octahydro-2-methoxy-6,9-methano-5H-pyrido [1', 2':1,2] azepino
10	[5,4-b] indole; tabernanthe iboga);
11	(18) (21) lysergic acid diethylamide;
12	(19) (22) marihuana;
13	(20) (23) mescaline;
14	(21) (24) parahexyl (other names: 3-Hexyl-l-hydroxy-7, 8, 9, 10-
15	tetrahydro-6, 6, 9-trimethyl-6H-dibenzo [b, d] pyran; Synhexyl);
16	(22) (25) peyote (all parts of the plant presently classified botanically
17	as Lophophora williamsii Lemaire, whether growing or not, its seeds,
18	any extract from any part of the plant, and every compound
19	manufacture, salts, derivative, mixture, or preparation of such plant,
20	its seeds or extracts);
21	(23) (26) N-ethyl-3-piperidyl benzilate;
22	(24) (27) N-methyl-3-piperidyl benzilate;
23	(25) (28) psilocybin;
24	(<u>26)</u> (<u>29</u>) psilocyn;
25	(27) (30) tetrahydrocannabinols;

1	(28) (31) ethylamine analog of phencyclidine (other names: N-ethyl-
2	1-phenylcyclohexylamine; (1-phenylcyclohexyl) ethylamine, N-
3	(lphenylcyclohexyl) ethylamine; cyclohexamine, PCE);
4	(29) (32) pyrrolidine analog of phencyclidine (other names: 1-
5	(lphenylcyclohexyl)- pyrrolidine, PCPy; PHP);
6	(33) Tetrahydrocannabinols (Meaning tetrahydrocannabinols naturally
7	contained in the plant of the genus Cannabis (cannabis plant), as well
8	as synthetic equivalents of the substances contained in the cannabis
9	plant, or in the resinous extractives of such plant, and/or synthetic
10	substances, derivatives, and their isomers with similar chemical
11	structure and pharmacological activity to those substances contained
12	in the plant, such as the following:
13	-1 cis or trans tetrahydrocannabinol, and their optical isomers
14	-6 cis or trans tetrahydrocannabinol, and their optical isomers
15	-3, 4 cis or trans tetrahydrocannabinol, and its optical isomers
16	(Since nomenclature of these substances is not internationally
17	standardized, compounds of these structures, regardless of numeric
18	designation of atomic positions covered.)
19	(30) (34) thiophene analog of phencyclidine (other names: 1-[1-(2-
20	thienyl)-cyclohexyl]-piperidine, 2-thienylanalog of phencyclidine,
21	TPCP; TCP); and
22	(31) (35) TCPy (other name: 1-[l-(2-thienyl)cyclohexyl] pyrrolidine."
23	Section 2. Item (D) of Appendix A of Chapter 67 of Title 9 of the Guam
24	Code Annotated is hereby amended to read as follows:
25	"(D) Material, compound, mixture or preparation containing any quantity of
26	the following substances having a depressant effect on the central nervous

1	system, including any salts, isomers and salts of isomers of them that are
2	theoretically possible within the specific chemical designation:
3	(1) gamma-hydroxybutyric acid (some other names include GBH;
4	gamma-hydroxybutyrate; 4-hydroxybutyrate acid; sodium oxybate;
5	sodium oxybutyrate)
6	(1) (2) mecloqualone; and
7	(2) (3) methaqualone."
8	Section 3. Item (E) of Appendix A of Chapter 67 of Title 9 of the Guam
9	Code Annotated is hereby amended to read as follows:
10	"(E) Material, compound, mixture or preparation containing any quantity of
11	the following substances having a stimulant effect on the central nervous
12	system, including their salts, isomers and salts of isomers:
13	(1) Aminorex (other names: aminoxaphen; 2-amino-5-phenyl-2-
14	oxazoline; or 4,5-dihydro-5-phenly-2-oxazolamine);
15	(2) N-Benzylpiperazine (some other names: BZP, 1-benzylpiperazine)
16	(2) (3) Cathinone (other names: 2-amino-1-phenyl-1-propanone,
17	alpha-aminopropiophenone, 2-aminopropiophenone, and
18	norephedrone);
19	(<u>3) (4)</u> Fenethylline;
20	(4) (5) Methcathinone (other names: 2-(methylamino)-propiophenone;
21	alpha-(methylamino)propiophenone; 2-(methylamino)-1-
22	phenylpropan-l-one; alpha-Nmethylaminopropiophenone;
23	monomethylpropion; ephedrone; Nmethylcathinone; methylcathinone;
24	AL-464; AL-422; AL-463 and UR1432), its salts, optical isomers and
25	salts of optical isomers);
26	(5) (6) $(+/-)$ cis-4-methylaminorex (other name: (+/-)cis-4,5- dihydro-
27	4-methyl-5-phenyl-2-oxazolamine);

1	(6) (7) N-ethylamphetamine; and
2	(7) (8) N,N-dimethylamphetamine (other name: N,N-
3	alphatrimethylphenethylamine).
4	(9) (other name: N,N-alphatrimethylphenethylamine; N,N-alpha-
5	trimethylbenzeneethamine)."
6	Section 4. A new Item (F) is hereby added to Appendix A of Chapter 67 of
7	Title 9 of the Guam Code Annotated, to read as follows:
8	"(F) Any material, compound, mixture or preparation which contains any
9	quantity of the following substances:
10	(1) N-[1-(2-thienyl)methyl-4-piperidyl]-N-phenylpropanamide
11	(benzylyfentanyl), its optical isomers, salts and salts of isomers; and
12	(2) N-[1-(2-thienyl)methyl-4-piperidyl]-N-phenylpropanamide
13	(thenylfentany), its optical isolers, salts and salts of isomers."
14	Section 5. Item (A) (1) of Appendix B of Chapter 67 of Title 9 of the Guam
15	Code Annotated is hereby amended to read as follows:
16	"(A) Any of the following substances, however manufactured:
17	(1) Opium and opium derivative, and any salt, compound derivative,
18	or preparation of opium or opium derivative, excluding apomorphine,
19	dextrorphan, nailbuphine, butorphanol, nalmefene, naloxone, and
20	naltrexone, but including:
21	(A) raw opium;
22	(B) opium extracts;
23	(C) opium fluid;
24	(D) powered opium
25	(E) granulated opium;
26	(F) tincture of opium;
27	(G) codeine;

2	
4	(I) etorphine hydrocholride;
3	(J) hydrocodone;
4	(K) hydromorphone;
5	(L) metopon;
6	(M) morphine;
7	(N) oxycodone
8	(O) oxymorphone;
9	(P) thebaine;
10	(Q) dihydroetorphine;
11	(R) oripavine."
12	Section 6. Item (B) of Appendix B of Chapter 67 of Title 9 of the Guam
13	Code Annotated is hereby amended to read as follows:
14	"(B) Any of, the following synthetic opiates, including any isomers, esters,
15	ethers, salts, and salts of isomers, esters, and ethers of them that are
16	theoretically possible within the specific chemical designation:
17	(1) alfentanil;
18	(2) alphaprodine;
19	(3) anileridine;
20	(4) bezitramide;
21	(5) carfentanil;
22	(6) bulk dextropropoxyphene (non-dosage forms);
23	(7) dihydrocodeine;
24	(8) diphenoxylate;
25	(9) fentanyl;
26	(10) isomethadone;
27	(11) levomethorphan;

1	(12) levorphanol;
2	(13) metazocine;
3	(14) methadone;
4	(15) methadone-intermediate, 4-cyano-2-dimethylamino-4, 4-
5	diphenyl butane;
6	(16) moramide-intermediate, 2-methyl-3-morpholino-1,
7	Idiphenylpropane-
8	carboxylic acid;
9	(17) pethidine (meperidine);
10	(18) pethidine-intermediate-A,4-cyano-l-methyl-4-
11	phenylpiperidine;
12	(19) pethidine-intermediate-B, ethyl-4-phenylpiperidine-4-
13	carboxylate;
14	(20) pethidine-intermediate-C, 1-methyl-4-phenylpiperidine-4-
15	carboxylic acid;
16	(21) phenazocine;
17	(22) piminodine;
18	(23) racemethorphan;
19	(24) racemorphan;
20	(25) remifentanil
21	(25) (26) sufentanil; and
22	(26) (27) levo-alphacetylmethadol (other names: levo-
23	alphaacetylmethadol, levomethadyl acetate, LAAM).
24	(28) tapentadol."
25	Section 7. Item (C) of Appendix B of Chapter 67 of Title 9 of the Guam
26	Code Annotated is hereby amended to read as follows:

1	"(C) Material, compound, mixture, or preparation containing any quantity of
2	the following substances, their salts, isomers, or salts of isomers, having a
3	stimulant effect on the central nervous system:
4	(1) amphetamine;
5	(2) methamphetamine;
6	(3) phenmetrazine; and
7	(4) methylphenidate;
8	(5) lisdexamfetamine, its salts, isomers, and salts of its
9	isomers."
10	Section 8. Item (B) of Appendix C of Chapter 67 of Title 9 of the Guam
11	Code Annotated is hereby amended to read as follows:
12	"(B) A material, compound, mixture, or preparation containing any quantity
13	of the following substances having a depressant effect on the central nervous
14	system:
15	(1) a compound, mixture, or preparation containing any of the
16	following drugs or their salts and one or more other active medicinal
17	ingredients not included in any schedule:
18	(A) amobarbital;
19	(B) secobarbital; and
20	(C) pentobarbital;
21	(2) any of the following drugs, or their salts, in suppository dosage
22	form, approved by the federal Food and Drug Administration for
23	marketing only as a suppository:
24	(A) amobarbital;
25	(B) secobarbital, and
26	(C) pentobarbital;

1	(3) a substance containing any quantity of a derivative of barbituric
2	acid or any salt of a derivative of barbituric acid;
3	(A) embutramide
4	(B) any drug product containing gamma hydroxybutyric acid,
5	including its salts, isomers, and salts of isomers, for which an
6	application is approved under Section 505 of the Federal Food,
7	Drug, and Cosmetic Act;
8	(C) ketamine, its salts, isomers, and salts of isomers [some
9	other names for ketamine: (+)-2-(2-chlorophenyl)-2-
10	(methylamino)-cyclohexanone]."
11	Section 9. Item (D) of Appendix C of Chapter 67 of Title 9 of the Guam
12	Code Annotated is hereby amended to read as follows:
13	"(D) A material compound, mixture, or preparation containing any of the
14	following narcotic drugs, or their salts calculated as the free anhydrous base
15	or alkaloid, in limited quantities as set forth below:
16	(1) not more than 1.8 grams of codeine per 100 milliliters or not more
17	than 90 milligrams per dosage unit, with an equal or greater quantity
18	of an isoquinoline alkaloid of opium;
19	(2) not more than 1.8 grams of codeine per 100 milliliters or not more
20	than 90 milligrams per dosage unit, with one or more active,
21	nonnarcotic ingredients in recognized therapeutic amounts;
22	(3) not more than 300 milligrams of dihydrocodeinone (hydrocodone)
23	per 100 milliliters or not more than 15 milligrams per dosage unit,
24	with a fourfold or greater quantity of an isoquinoline alkaloid of
25	opium;
26	(4) not more than 300 milligrams of dihydrocodeinone (hydrocodone)
27	per 100 milliliters or not more than 15 milligrams per dosage unit,

with one or more active-nonnarcotic ingredients in recognized
 therapeutic amounts;

- 3 (5) not more than 1.8 grams of dihydrocodeine per 100 milliliters or
 4 not more than 90 milligrams per dosage unit, with one or more active,
 5 nonnarcotic ingredients in recognized therapeutic amounts;
- 6 (6) not more than 300 milligrams of ethylmorphine per 100 milliliters 7 or not more than 15 milligrams per dosage unit, with one or more 8 active, nonnarcotic ingredients in recognized therapeutic amounts;(7) 9 not more than 500 milligrams of opium per 100 milliliters or per 100 10 grams, or not more than 25 milligrams per dosage unit, with one or 11 more active, nonnarcotic ingredients in recognized therapeutic 12 amounts; and
- (8) not more than 50 milligrams of morphine per 100 milliliters or per
 100 grams with one or more active, nonnarcotic ingredients in
 recognized therapeutic amounts; and
- 16 (9) A material, compound, mixture, or preparation containing any of
 17 the following narcotic drug and its salts: buprenorphine."
- Section 10. Item (E) of Appendix C of Chapter 67 of Title 9 of the Guam
 Code Annotated is hereby *amended* to read as follows:
- "(E) Anabolic Steroids. (1) Any drug or hormonal substance chemically and
 pharmacologically related to testosterone (other than estrogens, progestins,
 corticosteroids, and dehydroepiandrosterone), and includes:
- 23 (1) 3[beta], 17-dihydroxy-5a-androstane;
 24 (2) 3[alpha], 17[beta]-dihydroxy-5a-androstane;
 25 (3) 5[alpha]-androstan-3,17-dione;
 26 (4) 1-androstenediol (3[beta],17[beta]-dihydroxy-5[alpha]27 androst-1-ene);

2 androst-1-ene); 3 (6) 4-androstenediol (3[beta],17[beta]-dihydroxy-androst-4-ene; 4 (7) 5-androstenediol (3[beta],17[beta]-dihydroxy-androst-5- 5 ene); 6 (8) 1-androstenedione ([5[alpha]]-androst-1-en-3,17-dione; 7 (9) 4-androstenedione (androst-4-en-3,17-dione); 8 (10) 5-androstenedione (androst-5-en-3,17-dione); 9 (11) bolasterone (7[alpha],17[alpha]-dimethyl-17[beta]- 10 hydroxyandrost-4-en-3one); 11 (12) Boldenone (17[beta]-hydroxyandrost-1,4,-diene-3-one); 12 (13) boldione (androsta-1,4-diene-3,17-dione; 13 (15) calusterone (7[beta],17[alpha]-dimethyl-17[beta]- 14 hydroxyandrost-4-en-3-one); 15 (16) Chlorotestosterone (4-chlorestosterone), 16 (17) Clostebol (4-chloro-17[beta]-hydroxyandrost-4-en-3-one); 17 (18) Dehydrochlormethyltestosterone (a.k.a. '1-testosterone') 20 (17[beta]-hydroxy-5[alpha]-androst-1en-3-one); 21 (20) Dihydrotestosterone (17[beta]-hydroxy-androstan-3-one); 22 (21) 4-dihydrotestosterone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]- 23 (22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]- <	1	(5) 1-androstenediol (3[alpha],17[beta]-dihydroxy-5[alpha]-
4 (7) 5-androstenediol (3[beta],17[beta]-dihydroxy-androst-5- 5 ene); 6 (8) 1-androstenedione ([5[alpha]]-androst-1-en-3,17-dione; 7 (9) 4-androstenedione (androst-4-en-3,17-dione); 8 (10) 5-androstenedione (androst-5-en-3,17-dione); 9 (11) bolasterone (7[alpha],17[alpha]-dimethyl-17[beta]- 10 hydroxyandrost-4-en-3one); 11 (12) Boldenone (17[beta]-hydroxyandrost-1,4,-diene-3-one); 12 (13) boldione (androsta-1,4-diene-3,17-dione; 13 (15) calusterone (7[beta],17[alpha]-dimethyl-17[beta]- 14 hydroxyandrost-4-en-3-one); 15 (16) Chlorotestosterone (4-chlortestosterone), 16 (17) Clostebol (4-chloro-17[beta]-hydroxyandrost-4-en-3-one); 17 (18) Dehydrochlormethyltestosterone (a.k.a. '1-testosterone') 19 (19) [Delta] 1-dihydrotestosterone (a.k.a. '1-testosterone') 20 (17[beta]-hydroxy-5[alpha]-androst-1en-3-one); 21 (20) Dihydrotestosterone (1-dihydrotestosterone); 22 (21) 4-dihydrotestosterone (17[beta]-hydroxy-androstan-3-one); 23 (22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]- 24 androstan-3-one); 25	2	androst-1-ene);
5 ene); 6 (8) 1-androstenedione ([5[alpha]]-androst-1-en-3,17-dione; 7 (9) 4-androstenedione (androst-4-en-3,17-dione); 8 (10) 5-androstenedione (androst-5-en-3,17-dione); 9 (11) bolasterone (7[alpha],17[alpha]-dimethyl-17[beta]- 10 hydroxyandrost-4-en-3one); 11 (12) Boldenone (17[beta]-hydroxyandrost-1,4,-diene-3-one); 12 (13) boldione (androsta-1,4-diene-3,17-dione; 13 (15) calusterone (7[beta],17[alpha]-dimethyl-17[beta]- 14 hydroxyandrost-4-en-3-one); 15 (16) Chlorotestosterone (4-chlortestosterone), 16 (17) Clostebol (4-chloro-17[beta]-hydroxyandrost-4-en-3-one); 17 (18) Dehydrochlormethyltestosterone (a.k.a. '1-testosterone') 18 hydroxy-17[alpha]-androst-1,4-dien-3-one); 19 (19) [Delta] 1-dihydrotestosterone (a.k.a. '1-testosterone') 20 (17[beta]- hydroxyl-5[alpha]-androst-1en-3-one); 21 (20) Dihydrotestosterone (1-dihydrotestosterone); 22 (21) 4-dihydrotestosterone (17[beta]-hydroxy-androstan-3-one); 23 (22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]- 24 androstan-3-one); 25 (23) Ethyl	3	(6) 4-androstenediol (3[beta],17[beta]-dihydroxy-androst-4-ene;
6 (8) 1-androstenedione ([5[alpha]]-androst-1-en-3,17-dione; 7 (9) 4-androstenedione (androst-4-en-3,17-dione); 8 (10) 5-androstenedione (androst-5-en-3,17-dione); 9 (11) bolasterone (7[alpha],17[alpha]-dimethyl-17[beta]- 10 hydroxyandrost-4-en-3one); 11 (12) Boldenone (17[beta]-hydroxyandrost-1,4,-diene-3-one); 12 (13) boldione (androsta-1,4-diene-3,17-dione; 13 (15) calusterone (7[beta],17[alpha]-dimethyl-17[beta]- 14 hydroxyandrost-4-en-3-one); 15 (16) Chlorotestosterone (4-chlortestosterone), 16 (17) Clostebol (4-chloro-17[beta]-hydroxyandrost-4-en-3-one); 17 (18) Dehydrochlormethyltestosterone (a.k.a. '1-testosterone') 20 (17[beta] - hydroxyl-5[alpha]-androst-1 en-3-one); 21 (20) Dihydrotestosterone (17[beta]-hydroxy-androstan-3-one); 22 (21) 4-dihydrotestosterone (17[beta]-hydroxy-androstan-3-one); 23 (22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]- 24 androstan-3-one); 25 (23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4-	4	(7) 5-androstenediol (3[beta],17[beta]-dihydroxy-androst-5-
7 (9) 4-androstenedione (androst-4-en-3,17-dione); 8 (10) 5-androstenedione (androst-5-en-3,17-dione); 9 (11) bolasterone (7[alpha],17[alpha]-dimethyl-17[beta]- 10 hydroxyandrost-4-en-3one); 11 (12) Boldenone (17[beta]-hydroxyandrost-1,4,-diene-3-one); 12 (13) boldione (androsta-1,4-diene-3,17-dione; 13 (15) calusterone (7[beta]-hydroxyandrost-1,4,-diene-3-one); 14 hydroxyandrost-4-en-3-one); 15 (16) Chlorotestosterone (4-chlortestosterone), 16 (17) Clostebol (4-chloro-17[beta]-hydroxyandrost-4-en-3-one); 17 (18) Dehydrochlormethyltestosterone (4-chloro-17[beta]- 18 hydroxy- 17[alpha]methyl-androst-1,4-dien-3-one); 19 (19) [Delta] 1-dihydrotestosterone (a.k.a. '1-testosterone') 20 (17[beta]-hydroxyl-5[alpha]-androst-1en-3-one); 21 (20) Dihydrotestosterone (17[beta]-hydroxy-androstan-3-one); 22 (21) 4-dihydrotestosterone (17[beta]-hydroxy-androstan-3-one); 23 (22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]- 24 androstan-3-one); 25 (23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4-	5	<u>ene);</u>
8 (10) 5-androstenedione (androst-5-en-3,17-dione); 9 (11) bolasterone (7[alpha],17[alpha]-dimethyl-17[beta]- 10 hydroxyandrost-4-en-3one); 11 (12) Boldenone (17[beta]-hydroxyandrost-1,4,-diene-3-one); 12 (13) boldione (androsta-1,4-diene-3,17-dione; 13 (15) calusterone (7[beta],17[alpha]-dimethyl-17[beta]- 14 hydroxyandrost-4-en-3-one); 15 (16) Chlorotestosterone (4-chlortestosterone), 16 (17) Clostebol (4-chloro-17[beta]-hydroxyandrost-4-en-3-one); 17 (18) Dehydrochlormethyltestosterone (4-chloro-17[beta]- 18 hydroxy- 17[alpha]-adrost-1,4-dien-3-one); 19 (19) [Delta] 1-dihydrotestosterone (a.k.a. '1-testosterone') 20 (17[beta]-hydroxyl-5[alpha]-androst-1en-3-one); 21 (20) Dihydrotestosterone (4-dihydrotestosterone); 22 (21) 4-dihydrotestosterone (17[beta]-hydroxy-androstan-3-one); 23 (22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]- 24 androstan-3-one); 25 (23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4-	6	(8) 1-androstenedione ([5[alpha]]-androst-1-en-3,17-dione;
9 (11) bolasterone (7[alpha],17[alpha]-dimethyl-17[beta]- 10 hydroxyandrost-4-en-3one); 11 (12) Boldenone (17[beta]-hydroxyandrost-1,4,-diene-3-one); 12 (13) boldione (androsta-1,4-diene-3,17-dione; 13 (15) calusterone (7[beta],17[alpha]-dimethyl-17[beta]- 14 hydroxyandrost-4-en-3-one); 15 (16) Chlorotestosterone (4-chlortestosterone), 16 (17) Clostebol (4-chloro-17[beta]-hydroxyandrost-4-en-3-one); 17 (18) Dehydrochlormethyltestosterone (4-chloro-17[beta]- 18 hydroxy- 17[alpha]methyl-androst-1,4-dien-3-one); 19 (19) [Delta] 1-dihydrotestosterone (a.k.a. '1-testosterone') 20 (17[beta]- hydroxyl-5[alpha]-androst-1en-3-one); 21 (20) Dihydrotestosterone (4-dihydrotestosterone); 22 (21) 4-dihydrotestosterone (17[beta]-hydroxy-androstan-3-one); 23 (22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]- 24 androstan-3-one); 25 (23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4-	7	(9) 4-androstenedione (androst-4-en-3,17-dione);
10hydroxyandrost-4-en-3one);11(12) Boldenone (17[beta]-hydroxyandrost-1,4,-diene-3-one);12(13) boldione (androsta-1,4-diene-3,17-dione;13(15) calusterone (7[beta],17[alpha]-dimethyl-17[beta]-14hydroxyandrost-4-en-3-one);15(16) Chlorotestosterone (4-chlortestosterone),16(17) Clostebol (4-chloro-17[beta]-hydroxyandrost-4-en-3-one);17(18) Dehydrochlormethyltestosterone (4-chloro-17[beta]-18hydroxy- 17[alpha]methyl-androst-1,4-dien-3-one);19(19) [Delta] 1-dihydrotestosterone (a.k.a. '1-testosterone')20(17[beta]- hydroxyl-5[alpha]-androst-1 en-3-one);21(20) Dihydrotestosterone (17[beta]-hydroxy-androstan-3-one);23(22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]-24androstan-3-one);25(23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4-	8	(10) 5-androstenedione (androst-5-en-3,17-dione);
11 (12) Boldenone (17[beta]-hydroxyandrost-1,4,-diene-3-one); 12 (13) boldione (androsta-1,4-diene-3,17-dione; 13 (15) calusterone (7[beta],17[alpha]-dimethyl-17[beta]- 14 hydroxyandrost-4-en-3-one); 15 (16) Chlorotestosterone (4-chlortestosterone), 16 (17) Clostebol (4-chloro-17[beta]-hydroxyandrost-4-en-3-one); 17 (18) Dehydrochlormethyltestosterone (4-chloro-17[beta]- 18 hydroxy- 17[alpha]methyl-androst-1,4-dien-3-one); 19 (19) [Delta] 1-dihydrotestosterone (a.k.a. '1-testosterone') 20 (17[beta]- hydroxyl-5[alpha]-androst-1en-3-one); 21 (20) Dihydrotestosterone (17[beta]-hydroxy-androstan-3-one); 22 (21) 4-dihydrotestosterone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]- 23 (22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]- 24 androstan-3-one); 25 (23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4-	9	(11) bolasterone (7[alpha],17[alpha]-dimethyl-17[beta]-
12(13) boldione (androsta-1,4-diene-3,17-dione;13(15) calusterone (7[beta],17[alpha]-dimethyl-17[beta]-14hydroxyandrost-4-en-3-one);15(16) Chlorotestosterone (4-chlortestosterone),16(17) Clostebol (4-chloro-17[beta]-hydroxyandrost-4-en-3-one);17(18) Dehydrochlormethyltestosterone (4-chloro-17[beta]-18hydroxy- 17[alpha]methyl-androst-1,4-dien-3-one);19(19) [Delta] 1-dihydrotestosterone (a.k.a. '1-testosterone')20(17[beta]- hydroxyl-5[alpha]-androst-1 en-3-one);21(20) Dihydrotestosterone (4-dihydrotestosterone);22(21) 4-dihydrotestosterone (17[beta]-hydroxy-androstan-3-one);23(22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]-24androstan-3-one);25(23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4-	10	hydroxyandrost-4-en-3one);
13(15) calusterone (7[beta],17[alpha]-dimethyl-17[beta]-14hydroxyandrost-4-en-3-one);15(16) Chlorotestosterone (4-chlortestosterone),16(17) Clostebol (4-chloro-17[beta]-hydroxyandrost-4-en-3-one);17(18) Dehydrochlormethyltestosterone (4-chloro-17[beta]-18hydroxy- 17[alpha]methyl-androst-1,4-dien-3-one);19(19) [Delta] 1-dihydrotestosterone (a.k.a. '1-testosterone')20(17[beta]- hydroxyl-5[alpha]-androst-1en-3-one);21(20) Dihydrotestosterone (4-dihydrotestosterone);22(21) 4-dihydrotestosterone (17[beta]-hydroxy-androstan-3-one);23(22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]-24androstan-3-one);25(23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4-	11	(12) Boldenone (17[beta]-hydroxyandrost-1,4,-diene-3-one);
14hydroxyandrost-4-en-3-one);15(16) Chlorotestosterone (4-chlortestosterone),16(17) Clostebol (4-chloro-17[beta]-hydroxyandrost-4-en-3-one);17(18) Dehydrochlormethyltestosterone (4-chloro-17[beta]-18hydroxy- 17[alpha]methyl-androst-1,4-dien-3-one);19(19) [Delta] 1-dihydrotestosterone (a.k.a. '1-testosterone')20(17[beta]- hydroxyl-5[alpha]-androst-1en-3-one);21(20) Dihydrotestosterone (4-dihydrotestosterone);22(21) 4-dihydrotestosterone (17[beta]-hydroxy-androstan-3-one);23(22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]-24androstan-3-one);25(23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4-	12	(13) boldione (androsta-1,4-diene-3,17-dione;
15(16) Chlorotestosterone (4-chlortestosterone),16(17) Clostebol (4-chloro-17[beta]-hydroxyandrost-4-en-3-one);17(18) Dehydrochlormethyltestosterone (4-chloro-17[beta]- hydroxy- 17[alpha]methyl-androst-1,4-dien-3-one);18hydroxy- 17[alpha]methyl-androst-1,4-dien-3-one);19(19) [Delta] 1-dihydrotestosterone (a.k.a. '1-testosterone')20(17[beta]- hydroxyl-5[alpha]-androst-1en-3-one);21(20) Dihydrotestosterone (4-dihydrotestosterone);22(21) 4-dihydrotestosterone (17[beta]-hydroxy-androstan-3-one);23(22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]-24androstan-3-one);25(23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4-	13	(15) calusterone (7[beta],17[alpha]-dimethyl-17[beta]-
16(17) Clostebol (4-chloro-17[beta]-hydroxyandrost-4-en-3-one);17(18) Dehydrochlormethyltestosterone (4-chloro-17[beta]-18hydroxy- 17[alpha]methyl-androst-1,4-dien-3-one);19(19) [Delta] 1-dihydrotestosterone (a.k.a. '1-testosterone')20(17[beta]- hydroxyl-5[alpha]-androst-1en-3-one);21(20) Dihydrotestosterone (4-dihydrotestosterone);22(21) 4-dihydrotestosterone (17[beta]-hydroxy-androstan-3-one);23(22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]-24androstan-3-one);25(23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4-	14	hydroxyandrost-4-en-3-one);
17(18) Dehydrochlormethyltestosterone (4-chloro-17[beta]- hydroxy-17[alpha]methyl-androst-1,4-dien-3-one);18hydroxy-17[alpha]methyl-androst-1,4-dien-3-one);19(19) [Delta] 1-dihydrotestosterone (a.k.a. '1-testosterone')20(17[beta]- hydroxyl-5[alpha]-androst-1en-3-one);21(20) Dihydrotestosterone (4-dihydrotestosterone);22(21) 4-dihydrotestosterone (17[beta]-hydroxy-androstan-3-one);23(22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]-24androstan-3-one);25(23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4-	15	(16) Chlorotestosterone (4-chlortestosterone),
18hydroxy- 17[alpha]methyl-androst-1,4-dien-3-one);19(19) [Delta] 1-dihydrotestosterone (a.k.a. '1-testosterone')20(17[beta]- hydroxyl-5[alpha]-androst-1en-3-one);21(20) Dihydrotestosterone (4-dihydrotestosterone);22(21) 4-dihydrotestosterone (17[beta]-hydroxy-androstan-3-one);23(22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]-24androstan-3-one);25(23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4-	16	(17) Clostebol (4-chloro-17[beta]-hydroxyandrost-4-en-3-one);
19(19) [Delta] 1-dihydrotestosterone (a.k.a. '1-testosterone')20(17[beta]- hydroxyl-5[alpha]-androst-1en-3-one);21(20) Dihydrotestosterone (4-dihydrotestosterone);22(21) 4-dihydrotestosterone (17[beta]-hydroxy-androstan-3-one);23(22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]-24androstan-3-one);25(23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4-	17	(18) Dehydrochlormethyltestosterone (4-chloro-17[beta]-
 20 (17[beta]- hydroxyl-5[alpha]-androst-1en-3-one); 21 (20) Dihydrotestosterone (4-dihydrotestosterone); 22 (21) 4-dihydrotestosterone (17[beta]-hydroxy-androstan-3-one); 23 (22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]- 24 androstan-3-one); 25 (23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4- 	18	hydroxy-17[alpha]methyl-androst-1,4-dien-3-one);
21(20) Dihydrotestosterone (4-dihydrotestosterone);22(21) 4-dihydrotestosterone (17[beta]-hydroxy-androstan-3-one);23(22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]-24androstan-3-one);25(23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4-	19	(19) [Delta] 1-dihydrotestosterone (a.k.a. '1-testosterone')
 (21) 4-dihydrotestosterone (17[beta]-hydroxy-androstan-3-one); (22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]- androstan-3-one); (23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4- 	20	(17[beta]- hydroxyl-5[alpha]-androst-1en-3-one);
 (22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]- androstan-3-one); (23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4- 	21	(20) Dihydrotestosterone (4-dihydrotestosterone);
24androstan-3-one);25(23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4-	22	(21) 4-dihydrotestosterone (17[beta]-hydroxy-androstan-3-one);
25 (23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4-	23	(22) Drostanolone (17[beta]-hydroxy-2[alpha]-methyl-5[alpha]-
	24	androstan-3-one);
26 <u>ene</u>);	25	(23) Ethylestrenol (17[alpha]-ethyl-17[beta]-hydroxyestr-4-
	26	<u>ene);</u>

1	(24) Fluoxymesterone (formebolone) (9-fluoro-17[alpha]-
2	methyl-11[beta],17[beta]-dihydroxyandrost-4-en-3-one);
3	(25) Formebulone (2-formyl-17[alpha]-methyl-
4	11[beta],17[beta]-dihydroxyandrost-1,4-dien-3-one);
5	(26) furazabol (17[alpha]-methyl-17-17[beta]-
6	hydroxyandrostano[2,3-c]- furazan);
7	(27) 13[beta]-ethyl-17[beta]-hydroxygon-4-en-3-one;
8	(28) 4-hydroxytestosterone (4,17[beta]-dihydroxy-androst-4-en-
9	<u>3-one);</u>
10	(29) 4-hydroxy-19-nortestosterone (4,17[beta]-dihydroxy-estr-
11	<u>4-en-3-one);</u>
12	(30) desoxymethyltestosterone (17[alpha]-methyl-5[alpha]-
13	androst-2-en17[beta]-ol) (a.k.a., madol);
14	(31) Mestanolone (17[alpha]-methyl-17[beta]-hydroxy-5-
15	androstan-3-one);
16	(32) Mesterolone (1[alpha]methyl-17[beta]-hydroxy-[5[alpha]]-
17	androstan-3-one);
18	(33) Methandienone (17[alpha]-methyl-17[beta]-
19	hydroxyandrost-1,4-dien-3-one);
20	(34) mathandriol (17[alpha]-methyl-3[beta],17[beta]-
21	<u>dihydroxyandrost-5-ene);</u>
22	(35) Methandranone;
23	(36) Methandriol;
24	(37) Methandrostenolone;
25	(38) Methenolone (1-methyl-17[beta]-hydroxy-5[alpha]-
	(50) Wethenorone (T methyr T/ Joeta) mythoxy 5[alpha]
26	androst-1-en-3-one);

1	(39) 17[alpha]-methyl-3[beta], 17[beta]-dihydroxy-5a-
2	androstane;
3	(40) 17[alpha]-methyl-3[beta],17[beta],17[beta]-
4	dihydroxyandrost-4-ene;
5	(41) 17[alpha]-methyl-4-hydroxynandrolone (17[alpha]-methyl-
6	4-hydroxy-17[beta]-hydroxyestr-4-en-3-one);
7	(42) methyldienolone (17[alpha]-methyl-17[beta]-hydroxyestra-
8	<u>4,9(10)-dien-3-one);</u>
9	(43) methyltrienolone (17[alpha]-methyl-17[beta]-
10	hydroxyestra-4,9-11-trien-3-one);
11	(44) Methyltestosterone (17[alpha]-methyl17[beta]-
12	hydroxyandrost-4-en-3-one);
13	(45) Mibolerone (7[alpha],17[alpha]-dimethyl-17[beta]-
14	hydroestr-4-en-3-one);
15	(46) 17[alpha]-methyl-[Delta]1-dihydrotestosterone (17b[beta]-
16	hydroxy-17[alpha]-methyl-5[alpha]-androst-1-en-3-one) (a.k.a.
17	<u>'17- [alpha]-methyl-1-testosterone');</u>
18	(48) Nandrolone (17[beta]-hydroxyestr-4-en-3-one);
19	(49) 19-nor-4-androstenediol (3[beta], 17[beta]-dihydroxyestr-
20	<u>4-ene);</u>
21	(50) 19-nor-4-androstenediol (3[alpha], 17[beta]-dihydroxyestr-
22	<u>4-ene);</u>
23	(51) 19-nor-4-androstenediol (3[beta], 17[beta]-dihydroxyestr-
24	<u>5-ene);</u>
25	(52) 19-nor-4-androstenediol (3[alpha], 17[beta]-dihydroxyestr-
26	<u>5-ene);</u>

1		(53) 19-nor-4,9(10)-androstadienedione (estra-4,9(10)-diene-
2		<u>3,17-dione);</u>
3		(54) 19-nor-4-androstenedione (estr-4-en-3,17dione);
4		(55) 19-nor-5-androstenedione (estr-4-en-3,17dione);
5		(56) norbolethone (13[beta], 17[alpha]-diethyl-17[beta]-
6		hydroxygon- 4-en-3-one);
7		(57) norclostebol (4-chloro-17[beta]-hydroxyestr-4-en-3-one);
8		(58) Norethandrolone (17[alpha]-ethyl-17[beta]-hydroxyestr-4-
9		<u>en-3-one);</u>
10		(59) normethandrolone (17[alpha]-methyl-17[beta]-
11		hydroxyyestr-4-en-3-one);
12		(60) oxandrolone (17[alpha]-methyl-17[beta]-hydroxy-2-oxa-
13		[5[alpha]]-androstan-3-one);
14		(61) Oxymesterone (17[alpha]-methyl-17[beta]-hydroxy-2-oxa-
15		[5[alpha]]-androstan-3-one);
16		(62) oxymetholone (17[alpha]-methyl-2-hydroxymethylene-
17		17[beta]-hydroxy-[5[alpha]]-androstan-3-one);
18		(63) Stanolone;
19		(64) Stanozolol (17[alpha]-methyl-17[beta]-hydroxy-[5[alpha]]-
20		androst-2-eno[3,2-c]-pyrazole);
21		(65) Testolactone (13-hydroxy-3-oxo-13,17-secoandrosta-1,4-
22		dien-17-oic acidlactone);
23		(66) Testosterone (17[beta]-hydroxyandrost-4-en-3-one);
24		(67) tetrahydrogestrinone (13[beta], 17[alpha]-diethyl-17[beta]-
25		hydroxygon-4,9,11-trien-3-one);
26		(68) Trenobolone (17[beta]-hydroxyestr-4,9,11-trien-3-one);
27	and	

(2) Any salt, ester, or isomer of a drug or substance described 1 or listed in (1), if that salt, ester, or isomer promotes muscle growth. 2 Except such term does not include an anabolic steroid which is 3 expressly intended for administration through implants to cattle or 4 other nonhuman species and which has been approved by the 5 Secretary of Health and Human Services for such administration. If 6 any person prescribes, dispenses, or distributes such steroid for human 7 use, such person shall be considered to have prescribed, dispensed, or 8 9 distributed an anabolic steroid within the meaning of this paragraph.

DPHSS may exempt by rule a compound, mixture, or 10 preparation containing a stimulant or depressant substance listed in 11 subsections A and B from the application of all or part of this Act, if 12 the compound, mixture, or preparation contains one or more active 13 medicinal ingredients not having a stimulant or depressant effect on 14 the central nervous system and the admixtures are in combinations, 15 quantity, proportion, or concentration that vitiate the potential for 16 abuse of the substances having a stimulant or depressant effect on the 17 central nervous system." 18

Section 11. A new Item (F) is hereby *added* to Appendix C of Chapter 67 of
Title 9 of the Guam Code Annotated, to read as follows:

"(F) Dronabinol (synthetic) in sesame oil and encapsulated is a soft gelatine
capsule in a U.S. Food and Drug Administration approved product [Some
other names for dronabinol: (6aR-trans)-6a, 7, 8, 10a-tetrahydro-6,6,9trimethyl-3-pentyl-6*H*-dibenzo[b,d]pyran-1-ol] or (-)-delta-9-(trans)tetrahydrocannabinol]."

Section 12. Item (B) of Appendix D of Chapter 67 of Title 9 of the Guam
Code Annotated is hereby *amended* to read as follows:

1	"(B) A material, compound, mixture, or preparation containing any quantity
2	of the following substances having a depressant effect on the central nervous
3	system, including any salts, isomers, and salts of isomers of them that are
4	theoretically possible within the specific chemical designation:
5	(1) alprazol.am;
6	(2) barbital;
7	(3) bromazepam;
8	(4) camazepam;
9	(5) chloral betaine;
10	(6) chloral hydrate;
11	(7) chlordiazepoxide;
12	(8) clobazam;
13	(9) clonazepam;
14	(10) clorazepate;
15	(11) clotiazepam;
16	(12) cloxazolam;
17	(13) delorazepam;
18	(14) diazepam;
19	(15) dichloraphenazone;
20	(15) (16) estazolam;
21	(16) (17) ethchlorvynol;
22	(17) (18) ethinamate;
23	(18) (19) ethylloflazepate;
24	(19) (20) fludiazepam;
25	(20) (21) flunitrazepam;
26	(21) (22) flurazepam;
27	(23) fospropofol;

1	(22) (24) halazepam;
2	(23) (25) haloxazolam;
3	(24) <u>(26)</u> ketazolam;
4	(<u>25)</u> (<u>27)</u> loprazolam;
5	(26) (28) lorazepam;
6	(27) (29) lormetazepam;
7	(<u>28)</u> (<u>30)</u> mebutamate;
8	(29) (31) medazepam;
9	(30) (32) meprobamate;
10	(31) (33) methohexital;
11	(32) (34) methylphenobarbital (mephobarbital);
12	(33) <u>(35)</u> midazolam;
13	(34) (36) nimetazepam;
14	(35) (37) nitrazepam;
15	(36) (38) nordiazepam;
16	(37) (39) oxazepam;
17	(<u>38) (40)</u> oxazolam;
18	(39) (41) paraldehyde;
19	(40) (42) petrichloral;
20	(41) (43) phenobarbital;
21	(42) (44) pinazepam;
22	(43) (45) prazepam;
23	(44) (46) quazepam;
24	(45) (47) temazepam;
25	(46) (48) tetrazepam;
26	(47) (49) triazolam; and
27	(50) zaleplon

1	(48) (51) zolpidem		
2	(52) zopiclone"		
3	Section 13. Item (D) of Appendix D of Chapter 67 of Title 9 of the Guam		
4	Code Annotated is hereby amended to read as follows:		
5	"(D) A material, compound, mixture, or preparation containing any quantity		
6	of the following substances having a stimulant effect on the central nervous		
7	system, including their salts, isomers, and salts of isomers:		
8	(1) cathine;		
9	(2) diethylpropion;		
10	(3) fencamfamin;		
11	(4) fenproporex;		
12	(5) mazindol;		
13	(6) mefenorex;		
14	(7) modafinil;		
15	(7) (8) pemoline (including organometallic complexes and		
16	chelates thereof);		
17	(<u>8)</u> (<u>9)</u> phentermine;		
18	(9) (<u>10)</u> pipradrol; and		
19	(11) sibutramine:		
20	(10) (12) SPA ((-)-i-dimethylamino-1,2-diphenylethane);"		
21	Section 14. Item (D) of Appendix E of Chapter 67 of Title 9 of the Guam		
22	Code Annotated is hereby amended to read as follows:		
23	"(C) A material, compound, mixture, or preparation containing any quantity		
24	of the following substances having a stimulant effect on the central nervous		
25	system, including their salts, isomers and salts of isomers:		
26	(1) lacosamide [(R)-2-acetoamido- N -benzyl-3-methoxy-		
27	propionamide];		

1	(2) pregabalin [(S)-3-(aminomethyl)-5-methylhexanoic acid];
2	(1) (3) pyrovalerone;"
3	Section 15. A new §3106.1 is hereby <i>added</i> to Article 1 of Chapter 3 of Title
4	10 of the Guam Code Annotated, to read as follows:
5	"§3106.1 Guam Uniform Controlled Substance Act Review.
6	The Director shall, in accordance with the Administrative Adjudication Law,
7	conduct a biannual review of the U.S. Drug Enforcement Administration Schedule
8	Listing to determine whether the Guam Uniform Controlled Substance Act shall be
9	revised in accordance."
10	Section 16. Effective Date. This act shall take effect immediately upon
11	enactment.